

Package ‘betaselectr’

October 29, 2025

Title Betas-Select in Structural Equation Models and Linear Models

Version 0.1.3

Description It computes betas-select, coefficients after standardization in structural equation models and regression models, standardizing only selected variables. Supports models with moderation, with product terms formed after standardization. It also offers confidence intervals that account for standardization, including bootstrap confidence intervals as proposed by Cheung et al. (2022) <doi:10.1037/hea0001188>.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.3

Suggests testthat (>= 3.0.0), knitr, rmarkdown

Imports boot, stats, lavaan, methods, numDeriv, manymome, pbapply, lavaan.printer

VignetteBuilder knitr

Config/testthat/edition 3

Config/testthat/parallel true

Config/testthat/start-first lav_betaselect_mg*

URL <https://sfcheung.github.io/betaselectr/>

BugReports <https://github.com/sfcheung/betaselectr/issues>

Depends R (>= 3.5.0)

LazyData true

NeedsCompilation no

Author Shu Fai Cheung [aut, cre] (ORCID: <<https://orcid.org/0000-0002-9871-9448>>),
Rong Wei Sun [aut] (ORCID: <<https://orcid.org/0000-0003-0034-1422>>),
Florbela Chang [aut] (ORCID: <<https://orcid.org/0009-0003-9931-501X>>),
Wendie Yang [aut] (ORCID: <<https://orcid.org/0009-0000-8388-6481>>),
Sing-Hang Cheung [aut] (ORCID: <<https://orcid.org/0000-0001-5182-0752>>)

Maintainer Shu Fai Cheung <shufai.cheung@gmail.com>

Repository CRAN
Date/Publication 2025-10-29 03:30:12 UTC

Contents

anova.lm_betaselect	2
coef.lav_betaselect	4
coef.lm_betaselect	5
confint.lav_betaselect	7
confint.lm_betaselect	8
data_test_medmod	10
data_test_mod_cat	11
data_test_mod_cat2	12
data_test_mod_cat_binary	13
getCall.lm_betaselect	13
lav_betaselect	15
lm_betaselect	20
predict.glm_betaselect	25
predict.lm_betaselect	27
print.lav_betaselect	28
std_data	30
summary.glm_betaselect	31
summary.lm_betaselect	34
vcov.lm_betaselect	37
Index	40

anova.lm_betaselect	<i>ANOVA Tables For 'lm_betaselect' and 'glm_betaselect' Objects</i>
---------------------	--

Description

Return the analysis of variance tables for the outputs of `lm_betaselect()` and `glm_betaselect()`.

Usage

```
## S3 method for class 'lm_betaselect'
anova(object, ..., type = c("beta", "standardized", "raw", "unstandardized"))

## S3 method for class 'glm_betaselect'
anova(
  object,
  ...,
  type = c("beta", "standardized", "raw", "unstandardized"),
  dispersion = NULL,
  test = NULL
)
```



```
anova(logistic_beta_x)
anova(logistic_beta_x, type = "raw")
```

coef.lav_betaselect *Coefficients of a 'lav_betaselect'-Class Object*

Description

Return the betas-select in a 'lav_betaselect'-class object.

Usage

```
## S3 method for class 'lav_betaselect'
coef(object, drop_na = FALSE, ...)
```

Arguments

object	The output of <code>lav_betaselect()</code> .
drop_na	Logical. Whether betas-select with NA are dropped. Default is FALSE.
...	Optional arguments. Not used.

Details

It just extracts and returns the column est from the object: the betas-select, with selected variables standardized.

Value

A numeric vector: The betas-select in the object. The names of parameters follow the convention in lavaan.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lav_betaselect()`

Examples

```
library(lavaan)
# Need to mean-center iv and mod
data_test_medmod$iv <- data_test_medmod$iv - mean(data_test_medmod$iv)
data_test_medmod$mod <- data_test_medmod$mod - mean(data_test_medmod$mod)
mod <-
"

med ~ iv + mod + iv:mod
dv ~ med + iv
"

fit <- sem(mod,
            data_test_medmod,
            fixed.x = TRUE)
summary(fit)
fit_beta <- lav_betaselect(fit,
                           to_standardize = c("iv", "dv"))

coef(fit_beta)
```

coef.lm_betaselect	<i>Coefficients of Beta-Select in Linear Models</i>
--------------------	---

Description

Return the estimates of coefficients in an `lm_betaselect`-class or `glm_betaselect`-class object.

Usage

```
## S3 method for class 'lm_betaselect'
coef(
  object,
  complete = FALSE,
  type = c("beta", "standardized", "raw", "unstandardized"),
  ...
)

## S3 method for class 'glm_betaselect'
coef(
  object,
  complete = FALSE,
  type = c("beta", "standardized", "raw", "unstandardized"),
  ...
)
```

Arguments

object	The output of <code>lm_betaselect()</code> or <code>glm_betaselect()</code> , or an <code>lm_betaselect</code> -class or <code>glm_betaselect</code> -class object.
--------	---

complete	If TRUE, it returns the full vector of coefficients, including those of terms dropped in an over-determined system. See <code>stats::coef()</code> for further information. Default is FALSE.
type	String. If "unstandardized" or "raw", the coefficients <i>before</i> standardization are returned. If "beta" or "standardized", then the coefficients <i>after</i> selected variables standardized are returned. Default is "beta".
...	Other arguments. Ignored.

Details

By default, it extracts the regression coefficients *after* the selected variables have been standardized. If requested, it can also return the regression coefficients *before* standardization.

Value

A numeric vector: The estimate of regression coefficients.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lm_betaselect()` and `glm_betaselect()`

Examples

```
data(data_test_mod_cat)

lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                          data = data_test_mod_cat,
                          to_standardize = "iv")

coef(lm_beta_x)
coef(lm_beta_x, type = "raw")

data_test_mod_cat$p <- scale(data_test_mod_cat$dv)[, 1]
data_test_mod_cat$p <- ifelse(data_test_mod_cat$p > 0,
                              yes = 1,
                              no = 0)

logistic_beta_x <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                 data = data_test_mod_cat,
                                 family = binomial,
                                 to_standardize = "iv")

coef(logistic_beta_x)
coef(logistic_beta_x, type = "raw")
```

confint.lav_betaselect*Confidence Intervals for a 'lav_betaselect'-Class Object*

Description

Return the confidence intervals of betas-select in the output of `lav_betaselect()`.

Usage

```
## S3 method for class 'lav_betaselect'
confint(object, parm, level = 0.95, ...)
```

Arguments

<code>object</code>	The output of <code>lav_betaselect()</code> .
<code>parm</code>	Ignored due to the complexity in the naming. The confidence intervals of all parameters are always returned.
<code>level</code>	The level of confidence. Ignored because the intervals should be formed when calling <code>lav_betaselect()</code> .
<code>...</code>	Optional arguments. Ignored.

Details

The type of confidence intervals depends on the call to `lav_betaselect()`. This function does not recompute the confidence interval.

Value

A two-column matrix of the confidence intervals.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lav_betaselect()`

Examples

```
library(lavaan)
# Need to mean-center iv and mod
data_test_medmod$iv <- data_test_medmod$iv - mean(data_test_medmod$iv)
data_test_medmod$mod <- data_test_medmod$mod - mean(data_test_medmod$mod)
mod <-
"
med ~ iv + mod + iv:mod
```

```

dv ~ med + iv
"
fit <- sem(mod,
            data_test_medmod,
            fixed.x = TRUE)
summary(fit)
fit_beta <- lav_betaselect(fit,
                           to_standardize = c("iv", "dv"))
confint(fit_beta)

```

confint.lm_betaselect *Confidence Interval for 'lm_betaselect' or 'glm_betaselect' Objects*

Description

Return the confidence interval of the regression coefficients in the output of `lm_betaselect()` or `glm_betaselect()`.

Usage

```

## S3 method for class 'lm_betaselect'
confint(
  object,
  parm,
  level = 0.95,
  method = c("boot", "bootstrap", "ls"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  warn = TRUE,
  boot_type = c("perc", "bc"),
  ...
)

## S3 method for class 'glm_betaselect'
confint(
  object,
  parm,
  level = 0.95,
  trace = FALSE,
  test = c("LRT", "Rao"),
  method = c("boot", "bootstrap", "default", "ls"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  warn = TRUE,
  boot_type = c("perc", "bc"),
  transform_b = NULL,
  ...
)

```


Arguments

object	The output of <code>lm_betaselect()</code> or <code>glm_betaselect()</code> .
parm	The terms for which the confidence intervals are returned. If missing, the confidence intervals of all terms will be returned.
level	The level of confidence, default is .95, returning the 95% confidence interval.
method	The method used to compute the confidence intervals/ If bootstrapping was requested when calling <code>lm_betaselect()</code> and this argument is set to "bootstrap" or "boot", the bootstrap confidence intervals are returned. If bootstrapping was not requested or if this argument is set to "ls", then the usual lm confidence intervals are returned, with a warning raised unless type is "raw" or "unstandardized". Default is "boot".
type	String. If "unstandardized" or "raw", the confidence intervals of the coefficients <i>before</i> standardization are returned. If "beta" or "standardized", then the confidence intervals of the coefficients <i>after</i> selected variables standardized are returned. Default is "beta".
warn	Logical. Whether a warning will be raised is OLS (or WLS) confidence intervals are requested for the model with some variables standardized (i.e., type is "beta" or "standardized"). Default is TRUE.
boot_type	The type of bootstrap confidence intervals. Currently, it supports "perc", percentile bootstrap confidence intervals, and "bc", bias-corrected bootstrap confidence interval.
...	Optional arguments. Ignored.
trace	Logical. Whether profiling will be traced. See <code>stats::confint.glm()</code> for details. ignored if method is "boot" or "bootstrap".
test	The test used for profiling. See <code>stats::confint.glm</code> for details. ignored if method is "boot" or "bootstrap".
transform_b	The function to be used to transform the confidence limits. For example, if set to exp, the confidence limits will be exponentiated. Users need to decide whether the transformed limits are meaningful. Default is NULL.

Details

The type of confidence intervals depends on the object. If bootstrapping was requested, by default it returns the percentile bootstrap confidence intervals. Otherwise, it returns the default confidence intervals.

Support for other type of confidence intervals may be added in the future.

Value

A p by 2 matrix of the confidence intervals, p being the number of coefficients.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

[lm_betaselect\(\)](#)

Examples

```
data(data_test_mod_cat)

# bootstrap should be set to 2000 or 5000 in real studies
lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                           data = data_test_mod_cat,
                           to_standardize = "iv",
                           do_boot = TRUE,
                           bootstrap = 100,
                           iseed = 1234)

confint(lm_beta_x)
confint(lm_beta_x, method = "ls")
confint(lm_beta_x, type = "raw")

data_test_mod_cat$p <- scale(data_test_mod_cat$dv)[, 1]
data_test_mod_cat$p <- ifelse(data_test_mod_cat$p > 0,
                              yes = 1,
                              no = 0)

# bootstrap should be set to 2000 or 5000 in real studies
logistic_beta_x <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                  data = data_test_mod_cat,
                                  family = binomial,
                                  to_standardize = "iv",
                                  do_boot = TRUE,
                                  bootstrap = 100,
                                  iseed = 1234)

confint(logistic_beta_x, method = "default")
confint(logistic_beta_x, type = "raw")
```

data_test_medmod

Test Dataset with Moderator and Mediator

Description

This dataset has one mediator, one moderator, one independent variable, one dependent variable, and two control variables.

Usage

data_test_medmod

Format

A data frame with 200 rows and five variables:

dv Dependent variable, continuous
iv Independent variable, continuous
mod Moderator, continuous
med Mediator, continuous
cov1 Control variable, continuous
cov2 Control variable, continuous

Examples

```
library(lavaan)
mod <-
"
med ~ iv + mod + iv:mod + cov1 + cov2
dv ~ med + iv + cov1 + cov2
"
fit <- sem(mod,
           data_test_medmod)
summary(fit)
```

data_test_mod_cat	<i>Test Dataset with Moderator and Categorical Variables</i>
-------------------	--

Description

This dataset has one predictor, one moderator, one control variable, one dependent variable, and a categorical variable.

Usage

```
data_test_mod_cat
```

Format

A data frame with 500 rows and five variables:

dv Dependent variable, continuous
iv Independent variable, continuous
mod Moderator, continuous
cov1 Control variable, continuous
cat1 String variable with these values: "gp1", "gp2", and "gp3"

Examples

```
lm_out <- lm(dv ~ iv * mod + cov1 + cat1, data_test_mod_cat)
summary(lm_out)
```

data_test_mod_cat2	<i>Test Dataset with Moderator and Categorical Variables (Version 2)</i>
--------------------	--

Description

This dataset has one predictor, one moderator, one control variable, one dependent variable, and a categorical variable.

Similar to data_test_mod_cat but generated from another population.

Usage

```
data_test_mod_cat2
```

Format

A data frame with 300 rows and five variables:

dv Dependent variable, continuous

iv Independent variable, continuous

mod Moderator, continuous

cov1 Control variable, continuous

cat1 String variable with these values: "gp1", "gp2", and "gp3"

Examples

```
lm_out <- lm(dv ~ iv * mod + cov1 + cat1, data_test_mod_cat)
summary(lm_out)
```

`data_test_mod_cat_binary`*Test Dataset with a Binary Outcome Variable*

Description

This dataset has one predictor, one moderator, one control variable, one binary dependent variable, and a categorical variable.

Usage`data_test_mod_cat_binary`**Format**

A data frame with 300 rows and five variables:

dv Dependent variable, binary: 0, 1

iv Independent variable, continuous

mod Moderator, continuous

cov1 Control variable, continuous

cat1 String variable with these values: "gp1", "gp2", and "gp3"

Examples

```
glm_out <- glm(dv ~ iv * mod + cov1 + cat1, data_test_mod_cat_binary, family = binomial())
summary(glm_out)
```

`getCall.lm_betaselect` *Call in an 'lm_betaselect' or 'glm_betaselect' Object*

Description

The `getCall`-method for an `lm_betaselect`-class or `glm_betaselectd`-class objects.

Usage

```
## S3 method for class 'lm_betaselect'
getCall(
  x,
  what = c("lm_betaselect", "beta", "standardized", "raw", "unstandardized"),
  ...
)

## S3 method for class 'glm_betaselect'
getCall(
  x,
  what = c("glm_betaselect", "beta", "standardized", "raw", "unstandardized"),
  ...
)
```

Arguments

x	An lm_betaselect-class or glm_betaselect-class object from which the call is to be extracted.
what	Which call to extract. For "lm_betaselect" or "glm_betaselect" the call to <code>lm_betaselect()</code> or <code>glm_betaselect()</code> is extracted. For "beta" or "standardized", the call used to fit the model <i>after</i> selected variables standardized is extracted. For "raw" or "unstandardized", the call used to fit the model <i>before</i> standardization is extracted.
...	Additional arguments. Ignored.

Details

This works in the same way the default getCall-method does for the outputs of `stats::lm()` and `stats::glm()`.

Value

It returns the call requested.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lm_betaselect()`, `glm_betaselect()`, and `stats::getCall()`

Examples

```
data(data_test_mod_cat)

lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1,
                          data = data_test_mod_cat,
```

```

                                to_standardize = "iv")
getCall(lm_beta_x)
getCall(lm_beta_x, what = "beta")
getCall(lm_beta_x, what = "raw")

```

lav_betaselect	<i>Betas-Select in a 'lavaan'-Model</i>
----------------	---

Description

Can standardize selected variables in a lavaan model without refitting the models, can handle product term correctly and skip categorical predictors in standardization.

Usage

```

lav_betaselect(
  object,
  to_standardize = ".all.",
  not_to_standardize = NULL,
  skip_categorical_x = TRUE,
  output = c("data.frame", "text"),
  std_se = c("none", "delta", "bootstrap"),
  std_z = TRUE,
  std_pvalue = TRUE,
  std_ci = TRUE,
  level = 0.95,
  progress = TRUE,
  boot_out = NULL,
  bootstrap = 100L,
  store_boot_est = TRUE,
  parallel = c("no", "snow", "multicore"),
  ncpus = parallel::detectCores(logical = FALSE) - 1,
  cl = NULL,
  iseed = NULL,
  find_product_terms = TRUE,
  check_mean_centering = FALSE,
  std_intercept = FALSE,
  ...,
  delta_method = c("lavaan", "numDeriv"),
  vector_form = TRUE
)

```

Arguments

object The output of lavaan model fit functions, such as `lavaan::sem()` and `lavaan::cfa()`.

to_standardize	A string vector, which should be the names of the variables to be standardized. Default is ".all.", indicating all variables are to be standardized (but see skip_categorical_x).
not_to_standardize	A string vector, which should be the names of the variables that should not be standardized. This argument is useful when most variables, except for a few, are to be standardized. This argument cannot be used with to_standardize at the same time. Default is NULL, and only to_standardize is used.
skip_categorical_x	Logical. If TRUE, the default, all categorical predictors, defined as variables with only two possible values in the data analyzed, will be skipped in standardization. This overrides the argument to_standardize. That is, a categorical predictor will not be standardized even if listed in to_standardize, unless users set this argument to FALSE.
output	The format of the output. Not used because the format of the printout is now controlled by the print-method of the output of this function. Kept for backward compatibility.
std_se	String. If set to "none", the default, standard errors will not be computed for the standardized solution. If set to "delta", delta method will be used to compute the standard errors. If set to "bootstrap", then what it does depends whether boot_out is set. If boot_out is to an output of <code>manymome::do_boot()</code> , its content will be used. If boot_out is NULL and bootstrap estimates are available in object (e.g., bootstrapping is requested when fitting the model in lavaan), then the stored bootstrap estimates will be used. If not available, the bootstrapping will be conducted using <code>lavaan::bootstrapLavaan()</code> , using arguments bootstrap, parallel, ncpus, cl, and iseed.
std_z	Logical. If TRUE and std_se is not set to "none", standard error will be computed using the method specified in std_se. Default is TRUE.
std_pvalue	Logical. If TRUE, std_se is not set to "none", and std_z is TRUE, p-values will be computed using the method specified in std_se. For bootstrapping, the method proposed by Asparouhov and Muthén (2021) is used. Default is TRUE.
std_ci	Logical. If TRUE and std_se is not set to "none", confidence intervals will be computed using the method specified in std_se. Default is FALSE.
level	The level of confidence of the confidence intervals. Default is .95. It will be used in the confidence intervals of both the unstandardized and standardized solution.
progress	Logical. If TRUE, progress bars will be displayed for long process.
boot_out	If std_se is "bootstrap" and this argument is set to an output of <code>manymome::do_boot()</code> , its output will be used in computing statistics such as standard errors and confidence intervals. This allows users to use methods other than bootstrapping when fitting the model, while they can still request bootstrapping for the standardized solution.
bootstrap	If std_se is "bootstrap" but bootstrapping is not requested when fitting the model and boot_out is not set, <code>lavaan::bootstrapLavaan()</code> will be called to do bootstrapping. This argument is the number of bootstrap samples to draw. Default is 100. Should be set to 5000 or even 10000 for stable results.

store_boot_est	Logical. If std_se is "bootstrap" and this argument is TRUE, the default, the bootstrap estimates of the standardized solution will be stored in the attribute "boot_est". These estimates can be used for diagnosis of the bootstrapping. If FALSE, then the bootstrap estimates will not be stored.
parallel	If std_se is "bootstrap" but bootstrapping is not requested when fitting the model and boot_out is not set, <code>lavaan::bootstrapLavaan()</code> will be called to do bootstrapping. This argument is to be passed to <code>lavaan::bootstrapLavaan()</code> . Default is "no".
ncpus	If std_se is "bootstrap" but bootstrapping is not requested when fitting the model and boot_out is not set, <code>lavaan::bootstrapLavaan()</code> will be called to do bootstrapping. This argument is to be passed to <code>lavaan::bootstrapLavaan()</code> . Default is <code>parallel::detectCores(logical = FALSE) - 1</code> . Ignored if parallel is "no".
cl	If std_se is "bootstrap" but bootstrapping is not requested when fitting the model and boot_out is not set, <code>lavaan::bootstrapLavaan()</code> will be called to do bootstrapping. This argument is to be passed to <code>lavaan::bootstrapLavaan()</code> . Default is NULL. Ignored if parallel is "no".
iseed	If std_se is "bootstrap" but bootstrapping is not requested when fitting the model and boot_out is not set, <code>lavaan::bootstrapLavaan()</code> will be called to do bootstrapping. This argument is to be passed to <code>lavaan::bootstrapLavaan()</code> to set the seed for the random resampling. Default is NULL. Should be set to an integer for reproducible results. Ignored if parallel is "no".
find_product_terms	String. If it is certain that a model does not have product terms, setting this to FALSE will skip the search, which is time consuming for a models with many paths and/or many variables. Default is TRUE, and the function will automatically identify product terms, if any.
check_mean_centering	Logical. If TRUE, it will check whether variables involved in a product term has been mean-centered. If not, an error will be raised.
std_intercept	Logical. If TRUE, intercepts of y variables will also be computed based on the variables standardized.
...	Optional arguments to be passed to the <code>lavaan::parameterEstimates()</code> , which will be use to generate the output.
delta_method	The method used to compute delta-method standard errors. For internal use and should not be changed.
vector_form	The internal method used to compute standardized solution. For internal use and should not be changed.

Details

This function lets users select which variables to be standardized when computing the standardized solution. It has the following features:

- It automatically skips predictors which has only two unique values, assuming that they are dummy variables.

- It does not standardize product term, which is incorrect. Instead, it computes the product term with its component variables standardized first.
- It can be used to generate bootstrap confidence intervals for the standardized solution (Falk, 2018). Bootstrap confidence interval is better than doing standardization *before* fitting a model because it correctly takes into account the sampling variance of the standard deviations. It is also better than delta-method confidence interval because it takes into account the usually asymmetric distribution of parameters after standardization, such as standardized loadings and correlations.
- For comparison, it can also report delta-method standard errors and confidence intervals if requested.

Problems With Common Approaches:

In most SEM programs, users have limited control on which variables to standardize when requesting the standardized solution. The solution may be uninterpretable or misleading in these conditions:

- Dummy variables are standardized and their coefficients cannot be interpreted as the difference between two groups on the outcome variables.
- Product terms (interaction terms) are standardized and they cannot be interpreted as the changes in the effects of focal variables when the moderators change (Cheung, Cheung, Lau, Hui, & Vong, 2022).
- Variables with meaningful units can be more difficult to interpret when they are standardized (e.g., age).

Moreover, the delta method is usually used in standardization, which is suboptimal for standardization unless the sample size is large (Falk, 2018). For example, the covariance with variables standardized is a correlation, and its sampling distribution is skewed unless its population value is zero. However, delta-method confidence interval for the correlation is necessarily symmetric around the point estimate.

Limitations:

- It only supports observed variable interaction terms, and only support two-way interactions.
- It does not support multilevel models.
- It only supports models fitted to raw data.

Value

A `lav_betaselect`-class object, which is a data frame storing the parameter estimates, similar in form to the output of `lavaan::parameterEstimates()`.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

References

Asparouhov, A., & Muthén, B. (2021). Bootstrap p-value computation. Retrieved from <https://www.statmodel.com/download/Bootstrap%20-%20Pvalue.pdf>

Cheung, S. F., Cheung, S.-H., Lau, E. Y. Y., Hui, C. H., & Vong, W. N. (2022) Improving an old way to measure moderation effect in standardized units. *Health Psychology*, 41(7), 502-505. doi:10.1037/hea0001188

Falk, C. F. (2018). Are robust standard errors the best approach for interval estimation with non-normal data in structural equation modeling? *Structural Equation Modeling: A Multidisciplinary Journal*, 25(2) 244-266. doi:10.1080/10705511.2017.1367254

See Also

`print.lav_betaselect()` for its print method.

Examples

```
library(lavaan)
# Need to mean-center iv and mod
data_test_medmod$iv <- data_test_medmod$iv - mean(data_test_medmod$iv)
data_test_medmod$mod <- data_test_medmod$mod - mean(data_test_medmod$mod)
mod <-
"
med ~ iv + mod + iv:mod
dv ~ med + iv
"
fit <- sem(mod,
           data_test_medmod,
           fixed.x = TRUE)
summary(fit)
fit_beta <- lav_betaselect(fit,
                          to_standardize = c("iv", "dv"))
fit_beta
print(fit_beta, standardized_only = FALSE)

# In real studies:
# - should set bootstrap to at least 5000
# - should set parallel to "snow" or "multicore"
fit_beta_boot <- lav_betaselect(fit,
                               to_standardize = c("iv", "dv"),
                               std_se = "bootstrap",
                               std_ci = TRUE,
                               bootstrap = 100,
                               iseed = 1234)
fit_beta_boot
print(fit_beta_boot, standardized_only = FALSE)

# Print full results
print(fit_beta_boot,
      standardized_only = FALSE)
```

lm_betaselect

*Betas-Select in a Regression Model***Description**

Can fit a linear regression models with selected variables standardized; handle product terms correctly and skip categorical predictors in standardization.

Usage

```
lm_betaselect(
  ...,
  to_standardize = NULL,
  not_to_standardize = NULL,
  skip_response = FALSE,
  do_boot = TRUE,
  bootstrap = 100L,
  iseed = NULL,
  parallel = FALSE,
  ncpus = parallel::detectCores(logical = FALSE) - 1,
  progress = TRUE,
  load_balancing = FALSE,
  model_call = c("lm", "glm")
)

glm_betaselect(
  ...,
  to_standardize = NULL,
  not_to_standardize = NULL,
  skip_response = FALSE,
  do_boot = TRUE,
  bootstrap = 100L,
  iseed = NULL,
  parallel = FALSE,
  ncpus = parallel::detectCores(logical = FALSE) - 1,
  progress = TRUE,
  load_balancing = FALSE
)

## S3 method for class 'lm_betaselect'
print(
  x,
  digits = max(3L, getOption("digits") - 3L),
  type = c("beta", "standardized", "raw", "unstandardized"),
  ...
)
```

```
## S3 method for class 'glm_betaselect'
print(
  x,
  digits = max(3L, getOption("digits") - 3L),
  type = c("beta", "standardized", "raw", "unstandardized"),
  ...
)

raw_output(x)
```

Arguments

- ... For `lm_betaselect()`, these arguments will be passed directly to `lm()`. For `glm_betaselect()`, these arguments will be passed to `glm()`. For the print-method of `lm_betaselect` or `glm_betaselect` objects, this will be passed to other methods.
- `to_standardize` A string vector, which should be the names of the variables to be standardized. Default is `NULL`, indicating all variables are to be standardized.
- `not_to_standardize` A string vector, which should be the names of the variables that should *not* be standardized. This argument is useful when most variables, except for a few, are to be standardized. This argument cannot be used with `to_standardize` at the same time. Default is `NULL`, and only `to_standardize` is used.
- `skip_response` Logical. If `TRUE`, will not standardize the response (outcome) variable even if it appears in `to_standardize` or `to_standardize` is not specified. Used for models such as logistic regression models in which there are some restrictions on the response variables (e.g., only 0 or 1 for logistic regression).
- `do_boot` Whether bootstrapping will be conducted. Default is `TRUE`.
- `bootstrap` If `do_boot` is `TRUE`, this argument is the number of bootstrap samples to draw. Default is 100. Should be set to 5000 or even 10000 for stable results.
- `iseed` If `do_boot` is `TRUE` and this argument is not `NULL`, it will be used by `set.seed()` to set the seed for the random number generator. Default is `NULL`.
- `parallel` If `do_boot` is `TRUE` and this argument is `TRUE`, parallel processing will be used to do bootstrapping. Default is `FALSE` because bootstrapping for models fitted by `stats::lm()` or `stats::glm()` is rarely slow. Actually, if both `parallel` and `progress` are set to `TRUE`, the speed may even be slower than serial processing.
- `ncpus` If `do_boot` is `TRUE` and `parallel` is also `TRUE`, this argument is the number of processes to be used in parallel processing. Default is `parallel::detectCores(logical = FALSE) - 1`
- `progress` Logical. If `TRUE`, progress bars will be displayed for long process. Default is `TRUE`.
- `load_balancing` Logical. If `parallel` is `TRUE`, this determines whether load balancing will be used. Default is `FALSE` because the gain in speed is usually minor.
- `model_call` The model function to be called. If `"lm"`, the default, the model will be fitted by `stats::lm()`. If `"glm"`, the model will be fitted by `stats::glm()`. Users should call the corresponding function directly rather than setting this argument manually.

x	An <code>lm_betaselect</code> or <code>glm_betaselect</code> object.
digits	The number of significant digits to be printed for the coefficients.
type	The coefficients to be printed. For "beta" or "standardized", the coefficients after selected variables standardized will be printed. For "raw" or "unstandardized", the coefficients before standardization was done will be printed.

Details

The functions `lm_betaselect()` and `glm_betaselect()` let users select which variables to be standardized when computing the standardized solution. They have the following features:

- They automatically skip categorical predictors (i.e., factor or string variables).
- They do not standardize a product term, which is incorrect. Instead, they compute the product term with its component variables standardized, if requested.
- They standardize the selected variables *before* fitting a model. Therefore, If a model has the term $\log(x)$ and x is one of the selected variables, the model used the logarithm of the *standardized* x in the model, instead of standardized $\log(x)$ which is difficult to interpret.
- They can be used to generate nonparametric bootstrap confidence intervals for the standardized solution. Bootstrap confidence interval is better than the default confidence interval ignoring the standardization because it takes into account the sampling variance of the standard deviations. Preliminary support for bootstrap confidence has been found for forming confidence intervals for coefficients involving standardized variables in linear regression (Jones & Waller, 2013).

Problems With Common Approaches:

In some regression programs, users have limited control on which variables to standardize when requesting the so-called "betas". The solution may be uninterpretable or misleading in these conditions:

- Dummy variables are standardized and their coefficients cannot be interpreted as the difference between two groups on the outcome variables.
- Product terms (interaction terms) are standardized and they cannot be interpreted as the changes in the effects of focal variables when the moderators change (Cheung, Cheung, Lau, Hui, & Vong, 2022).
- Variables with meaningful units can be more difficult to interpret when they are standardized (e.g., age).

How The Function Work:

They standardize the original variables *before* they are used in the model. Therefore, strictly speaking, they do not standardize the predictors in model, but standardize the *input variable* (Gelman et al., 2021).

The requested model is then fitted to the dataset with selected variables standardized. For the ease of follow-up analysis, both the results with selected variables standardized and the results without standardization are stored. If required, the results without standardization can be retrieved by `raw_output()`.

Methods:

The output of `lm_betaselect()` is an `lm_betaselect`-class object, and the output of `glm_betaselect()` is a `glm_betaselect`-class object. They have the following methods:

- A `coef`-method for extracting the coefficients of the model. (See `coef.lm_betaselect()` and `coef.glm_betaselect()` for details.)
- A `vcov`-method for extracting the variance-covariance matrix of the estimates of the coefficients. If bootstrapping is requested, it can return the matrix based on the bootstrapping estimates. (See `vcov.lm_betaselect()` and `vcov.glm_betaselect()` for details.)
- A `confint`-method for forming the confidence intervals of the estimates of the coefficients. If bootstrapping is requested, it can return the bootstrap confidence intervals. (See `confint.lm_betaselect()` and `confint.glm_betaselect()` for details.)
- A `summary`-method for printing the summary of the results, with additional information such as the number of bootstrap samples and which variables have been standardized. (See `summary.lm_betaselect()` and `summary.glm_betaselect()` for details.)
- An `anova`-method for printing the ANOVA table. Can also be used to compare two or more outputs of `lm_betaselect()` or `glm_betaselect()` (See `anova.glm_betaselect()` and `anova.lm_betaselect()` for details.)
- A `predict`-method for computing predicted values. It can be used to compute the predicted values given a set of new unstandardized data. The data will be standardized before computing the predicted values in the models with standardization. (See `predict.lm_betaselect()` and `predict.glm_betaselect()` for details.)
- The default `update`-method for updating a call also works for an `lm_betaselect` object or a `glm_betaselect()` object. It can update the model in the same way it updates a model fitted by `stats::lm()` or `stats::glm()`, and also update the arguments of `lm_betaselect()` or `glm_betaselect()` such as the variables to be standardized. (See `stats::update()` for details.)

Most other methods for the output of `stats::lm()` and `stats::glm()` should also work on an `lm_betaselect`-class object or a `glm_betaselect`-class object, respectively. Some of them will give the same results regardless of the variables standardized. Examples are `rstandard()` and `cooks.distance()`. For some others, they should be used with cautions if they make use of the variance-covariance matrix of the estimates.

To use the methods for `lm` objects or `glm` objects on the results without standardization, simply use `raw_output()`. For example, to get the fitted values without standardization, call `fitted(raw_output(x))`, where `x` is the output of `lm_betaselect()` or `glm_betaselect()`.

The function `raw_output()` simply extracts the regression output by `stats::lm()` or `stats::glm()` on the variables without standardization.

Value

The function `lm_betaselect()` returns an object of the class `lm_betaselect`, The function `glm_betaselect()` returns an object of the class `glm_betaselect`. They are similar in structure to the output of `stats::lm()` and `stats::glm()`, with additional information stored.

The function `raw_output()` returns an object of the class `lm` or `glm`, which are the results of fitting the model to the data by `stats::lm()` or `stats::glm()` without standardization.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

References

- Cheung, S. F., Cheung, S.-H., Lau, E. Y. Y., Hui, C. H., & Vong, W. N. (2022) Improving an old way to measure moderation effect in standardized units. *Health Psychology*, 41(7), 502-505. doi:10.1037/hea0001188
- Craig, C. C. (1936). On the frequency function of xy . *The Annals of Mathematical Statistics*, 7(1), 1–15. doi:10.1214/aoms/1177732541
- Gelman, A., Hill, J., & Vehtari, A. (2021). *Regression and other stories*. Cambridge University Press. doi:10.1017/9781139161879
- Jones, J. A., & Waller, N. G. (2013). Computing confidence intervals for standardized regression coefficients. *Psychological Methods*, 18(4), 435–453. doi:10.1037/a0033269

See Also

`print.lm_betaselect()` and `print.glm_betaselect()` for the print-methods.

Examples

```
data(data_test_mod_cat)

# Standardize only iv

lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                          data = data_test_mod_cat,
                          to_standardize = "iv")

lm_beta_x
summary(lm_beta_x)

# Manually standardize iv and call lm()

data_test_mod_cat$iv_z <- scale(data_test_mod_cat[, "iv"])[, 1]

lm_beta_x_manual <- lm(dv ~ iv_z*mod + cov1 + cat1,
                      data = data_test_mod_cat)

coef(lm_beta_x)
coef(lm_beta_x_manual)

# Standardize all numeric variables

lm_beta_all <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                            data = data_test_mod_cat)
# Note that cat1 is not standardized
summary(lm_beta_all)

data(data_test_mod_cat)

data_test_mod_cat$p <- scale(data_test_mod_cat$dv)[, 1]
data_test_mod_cat$p <- ifelse(data_test_mod_cat$p > 0,
                             yes = 1,
```



```

                                no = 0)
# Standardize only iv
logistic_beta_x <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                family = binomial,
                                data = data_test_mod_cat,
                                to_standardize = "iv")

summary(logistic_beta_x)

logistic_beta_x
summary(logistic_beta_x)

# Manually standardize iv and call glm()

data_test_mod_cat$iv_z <- scale(data_test_mod_cat[, "iv"])[, 1]

logistic_beta_x_manual <- glm(p ~ iv_z*mod + cov1 + cat1,
                             family = binomial,
                             data = data_test_mod_cat)

coef(logistic_beta_x)
coef(logistic_beta_x_manual)

# Standardize all numeric predictors

logistic_beta_allx <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                    family = binomial,
                                    data = data_test_mod_cat,
                                    to_standardize = c("iv", "mod", "cov1"))

# Note that cat1 is not standardized
summary(logistic_beta_allx)

summary(raw_output(lm_beta_x))

```

predict.glm_betaselect

Predict Method for a 'glm_betaselect' Object

Description

Compute the predicted values in a model fitted by `glm_betaselect()`.

Usage

```

## S3 method for class 'glm_betaselect'
predict(
  object,
  model_type = c("beta", "standardized", "raw", "unstandardized"),
  newdata,

```



```
predict(logistic_beta_x)
predict(logistic_beta_x, model_type = "raw")
```

predict.lm_betaselect *Predict Method for an 'lm_betaselect' Object*

Description

Compute the predicted values in a model fitted by `lm_betaselect()`.

Usage

```
## S3 method for class 'lm_betaselect'
predict(
  object,
  model_type = c("beta", "standardized", "raw", "unstandardized"),
  newdata,
  ...
)
```

Arguments

<code>object</code>	An <code>lm_betaselect</code> -class object.
<code>model_type</code>	The model from which the the predicted values are computed. For "beta" or "standardized", the model is the one after selected variables standardized. For "raw" or "unstandardized", the model is the one before standardization was done.
<code>newdata</code>	If set to a data frame, the predicted values are computed using this data frame. The data must be unstandardized. That is, the variables are of the same units as in the data frame used in <code>lm_betaselect()</code> . If <code>model_type</code> is "beta" or "standardized", it will be standardized using the setting of <code>to_standardize</code> when object is created in <code>lm_betaselect()</code> .
<code>...</code>	Arguments to be passed to <code>stats::predict.lm()</code> . Please refer to the help page of <code>stats::predict.lm()</code> .

Details

It simply passes the model *before* or *after* selected variables are standardized to the `predict`-method of an `lm` object.

IMPORTANT:

Some statistics, such as prediction or confidence interval, which make use of the sampling variances and covariances of coefficient estimates *may* not be applicable to the models with one or more variables standardized. Therefore, they should only be used for exploratory purpose.

Value

It returns the output of `stats::predict.lm()`.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lm_betaselect()` and `stats::predict.lm()`

Examples

```
data(data_test_mod_cat)

lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                           data = data_test_mod_cat,
                           to_standardize = "iv")

predict(lm_beta_x)
predict(lm_beta_x, model_type = "raw")
```

```
print.lav_betaselect  Print a 'lav_betaselect' Object
```

Description

Print method for a 'lav_betaselect' object, which is the output of `lav_betaselect()`.

Usage

```
## S3 method for class 'lav_betaselect'
print(
  x,
  ...,
  nd = 3,
  output = c("lavaan.printer", "table"),
  standardized_only = TRUE,
  show_Bs.by = FALSE,
  by_group = TRUE,
  na_str = " ",
  sig_stars = TRUE,
  ci_sig = TRUE
)
```

Arguments

x	A lav_betaselect-class object, such as the output of <code>lav_betaselect()</code> .
...	Optional arguments to be passed to <code>print()</code> methods.
nd	The number of digits after the decimal place. Default is 3.
output	String. How the results are printed. Default is "lavaan.printer", and the results will be printed in a format similar to the printout of the output of the summary-method of a 'lavaan'-class object. If set to "table", the results are printed in a table format similar to that of <code>lavaan::parameterEstimates()</code> with output set to "data.frame".
standardized_only	Logical. If TRUE, the default, only the results for the standardized solution will be printed. If FALSE, then the standardized solution is printed alongside the un-standardized solution, as in the printout of the output of <code>summary()</code> of a 'lavaan'-class object.
show_Bs.by	Logical. If TRUE and output is "lavaan.printer", then the column "Bs.by" is shown, indicating, for each parameter, the variables standardized. This column is not shown if output is not "lavaan.printer".
by_group	If TRUE, the default, and the model has more than one group, sections will be grouped by groups first, as in the print out of <code>summary()</code> in lavaan. If FALSE, then the sections will be grouped by sections first.
na_str	The string to be used for cells with NA. Default is " ", a whitespace.
sig_stars	If TRUE, the default, symbols such as asterisks (*, **, ***) will be used to denote whether a beta-select is significant.
ci_sig	If TRUE, the default, a beta-select will be denoted as significant or not significant based on its confidence interval.

Details

The default format of the printout, "lavaan.printer", is similar to that of the `summary()` of a lavaan object. Users can also select whether only the standardized solution is printed or whether the standardized solution is appended to the right of the printout.

If output is set to "table" the format is that of `[lavaan::parameterEstimates()]` with output = "data.frame", which is compact but not easy to read.

Value

x is returned invisibly. Called for its side effect.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lav_betaselect()`. This function is adapted from `semhelpinghands::print.std_solution_boot()`.

Examples

```
library(lavaan)
# Need to mean-center iv and mod
data_test_medmod$iv <- data_test_medmod$iv - mean(data_test_medmod$iv)
data_test_medmod$mod <- data_test_medmod$mod - mean(data_test_medmod$mod)
mod <-
"
med ~ iv + mod + iv:mod
dv ~ med + iv
"
fit <- sem(mod,
           data_test_medmod,
           fixed.x = TRUE)
summary(fit)
fit_beta <- lav_betaselect(fit,
                          to_standardize = c("iv", "dv"))

fit_beta
print(fit_beta)
print(fit_beta, show_Bs.by = TRUE)
print(fit_beta, output = "table")
```

std_data

Standardize Selected Variables

Description

Standardize selected variables in a data frame or similar object.

Usage

```
std_data(data, to_standardize)
```

Arguments

data A data frame or similar object.

to_standardize A character vector of the column names of variables to be standardized.

Details

This is a helper functions to be used by `lm_betaselect()` and `glm_betaselect()`. It assumes that the variables selected has been checked whether they are numeric.

Value

A data frame similar to data, with selected variables standardized.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

Examples

```
data(data_test_mod_cat)
dat <- data_test_mod_cat
dat <- std_data(dat, to_standardize = c("iv", "dv"))
colMeans(dat[, c("dv", "iv")])
apply(dat[, c("dv", "iv")], 2, sd)
```

```
summary.glm_betaselect
```

Summary of an 'glm_betaselect'-Class Object

Description

The summary method for glm_betaselect-class objects.

Usage

```
## S3 method for class 'glm_betaselect'
summary(
  object,
  dispersion = NULL,
  correlation = FALSE,
  symbolic.cor = FALSE,
  trace = FALSE,
  test = c("LRT", "Rao"),
  se_method = c("boot", "bootstrap", "z", "glm", "default"),
  ci = TRUE,
  level = 0.95,
  boot_type = c("perc", "bc"),
  boot_pvalue_type = c("asymmetric", "norm"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  print_raw = c("none", "before_ci", "after_ci"),
  transform_b = NULL,
  transform_b_name = NULL,
  ...
)

## S3 method for class 'summary.glm_betaselect'
print(
  x,
  est_digits = 3,
  symbolic.cor = x$symbolic.cor,
```

```

    signif.stars = getOption("show.signif.stars"),
    show.residuals = FALSE,
    z_digits = 3,
    pvalue_less_than = 0.001,
    ...
)

```

Arguments

object	The output of <code>glm_betaselect()</code> .
dispersion	The dispersion parameter. If NULL, then it is extracted from the object. If a scalar, it will be used as the dispersion parameter. See <code>stats::summary.glm()</code> for details.
correlation	If TRUE, the correlation matrix of the estimates will be returned. The same argument in <code>stats::summary.glm()</code> . Default is FALSE.
symbolic.cor	If TRUE, correlations are printed in symbolic form as in <code>stats::summary.glm()</code> . Default is FALSE.
trace	Logical. Whether profiling will be traced when forming the confidence interval if <code>se_method</code> is "default", "z", or "glm". Ignored if <code>ci</code> is FALSE. See <code>stats::confint.glm()</code> for details.
test	The test used for <code>se_method</code> is "default", "z", or "glm". Ignored if <code>ci</code> is FALSE. See <code>stats::confint.glm()</code> for details.
se_method	The method used to compute the standard errors and confidence intervals (if requested). If bootstrapping was requested when calling <code>glm_betaselect()</code> and this argument is set to "bootstrap" or "boot", the bootstrap standard errors are returned. If bootstrapping was not requested or if this argument is set to "z", "glm", or "default", then the usual glm standard errors are returned. Default is "boot".
ci	Logical. Whether confidence intervals are computed. Default is FALSE.
level	The level of confidence, default is .95, returning the 95% confidence interval.
boot_type	The type of bootstrap confidence intervals, if requested. Currently, it supports "perc", percentile bootstrap confidence intervals, and "bc", bias-corrected bootstrap confidence interval.
boot_pvalue_type	The type of p -values if <code>se_method</code> is "boot" or "bootstrap". If "norm", then the z score is used to compute the p -value using a standard normal distribution. If "asymmetric", the default, then the method presented in Asparouhov and Muthén (2021) is used to compute the p -value based on the bootstrap distribution.
type	String. If "unstandardized" or "raw", the output <i>before</i> standardization are used. If "beta" or "standardized", then the output <i>after</i> selected variables standardized are returned. Default is "beta".
print_raw	Control whether the estimates before selected standardization are printed when type is "beta" or "standardized". If "none", the default, then it will not be printed. If set to "before_ci" and <code>ci</code> is TRUE, then will be inserted to the left of

	the confidence intervals. If set to "after_ci" and <code>ciisTRUE</code> , then will be printed to the right of the then will be printed to the right of the standardized estimates.
<code>transform_b</code>	The function to be used to transform the confidence limits. For example, if set to <code>exp</code> , the confidence limits will be exponentiated. Users need to decide whether the transformed limits are meaningful. Default is <code>NULL</code> .
<code>transform_b_name</code>	If <code>transform_b</code> is a function, then this is the name of the transformed coefficients. Default is <code>"Estimate(Transformed)"</code>
<code>...</code>	Additional arguments passed to other methods.
<code>x</code>	The output of <code>summary.glm_betaselect()</code> .
<code>est_digits</code>	The number of digits after the decimal to be displayed for the coefficient estimates, their standard errors, and confidence intervals (if present). Note that the values will be rounded to this number of digits before printing. If all digits at this position are zero for all values, the values may be displayed with fewer digits. Note that the coefficient table is printed by <code>stats::printCoefmat()</code> . If some numbers are very large, the number of digits after the decimal may be smaller than <code>est_digits</code> due to a limit on the column width.
<code>signif.stars</code>	Whether "stars" (asterisks) are printed to denote the level of significance achieved for each coefficient. Default is <code>TRUE</code> .
<code>show.residuals</code>	If <code>TRUE</code> , a summary of the deviance residuals will be printed. Default is <code>FALSE</code> .
<code>z_digits</code>	The number of digits after the decimal to be displayed for the z or similar statistic (in the column "z value").
<code>pvalue_less_than</code>	If a p -value is less than this value, it will be displayed with <code>"<(this value)"</code> . For example, if <code>pvalue_less_than</code> is <code>.001</code> , the default, p -values less than <code>.001</code> will be displayed as <code><.001</code> . This value also determines the printout of the p -value of the F statistic. (This argument does what <code>eps.Pvalue</code> does in <code>stats::printCoefmat()</code> .)

Details

By default, it returns a `summary.glm_betaselect`-class object for the results with selected variables standardized. By setting `type` to `"raw"` or `"unstandardized"`, it returns the summary for the results *before* standardization.

The print method of `summary.glm_betaselect`-class objects is adapted from `stdmod::print.summary.std_selected()`.

Value

It returns an object of class `summary.glm_betaselect`, which is similar to the output of `stats::summary.glm()`, with additional information on the standardization and bootstrapping, if requested.

The print-method of `summary.glm_betaselect` is called for its side effect. The object `x` is returned invisibly.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

References

Asparouhov, A., & Muthén, B. (2021). Bootstrap p-value computation. Retrieved from <https://www.statmodel.com/download/Bootstrap%20-%20Pvalue.pdf>

See Also

`glm_betaselect()`

Examples

```
data_test_mod_cat$p <- scale(data_test_mod_cat$dv)[, 1]
data_test_mod_cat$p <- ifelse(data_test_mod_cat$p > 0,
                              yes = 1,
                              no = 0)
# bootstrap should be set to 2000 or 5000 in real studies
logistic_beta_x <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                 data = data_test_mod_cat,
                                 family = binomial,
                                 to_standardize = "iv",
                                 do_boot = TRUE,
                                 bootstrap = 100,
                                 iseed = 1234)

summary(logistic_beta_x)
```

summary.lm_betaselect *Summary of an 'lm_betaselect'-Class Object*

Description

The summary method for `lm_betaselect`-class objects.

Usage

```
## S3 method for class 'lm_betaselect'
summary(
  object,
  correlation = FALSE,
  symbolic.cor = FALSE,
  se_method = c("boot", "bootstrap", "t", "lm", "ls"),
  ci = TRUE,
  level = 0.95,
  boot_type = c("perc", "bc"),
  boot_pvalue_type = c("asymmetric", "norm"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  print_raw = c("none", "before_ci", "after_ci"),
  ...
)
```

```
## S3 method for class 'summary.lm_betaselect'
print(
  x,
  est_digits = 3,
  symbolic.cor = x$symbolic.cor,
  signif.stars = getOption("show.signif.stars"),
  tz_digits = 3,
  pvalue_less_than = 0.001,
  ...
)
```

Arguments

object	The output of <code>lm_betaselect()</code> .
correlation	If TRUE, the correlation matrix of the estimates will be returned. The same argument in <code>stats::summary.lm()</code> . Default is FALSE.
symbolic.cor	If TRUE, correlations are printed in symbolic form as in <code>stats::summary.lm()</code> . Default is FALSE.
se_method	The method used to compute the standard errors and confidence intervals (if requested). If bootstrapping was requested when calling <code>lm_betaselect()</code> and this argument is set to "bootstrap" or "boot", the bootstrap standard errors are returned. If bootstrapping was not requested or if this argument is set to "t", "lm", or "ls", then the usual lm standard errors are returned. Default is "boot".
ci	Logical. Whether confidence intervals are computed. Default is TRUE.
level	The level of confidence, default is .95, returning the 95% confidence interval.
boot_type	The type of bootstrap confidence intervals, if requested. Currently, it supports "perc", percentile bootstrap confidence intervals, and "bc", bias-corrected bootstrap confidence interval.
boot_pvalue_type	The type of p -values if <code>se_method</code> is "boot" or "bootstrap". If "norm", then the z score is used to compute the p -value using a standard normal distribution. If "asymmetric", the default, then the method presented in Asparouhov and Muthén (2021) is used to compute the p -value based on the bootstrap distribution.
type	String. If "unstandardized" or "raw", the output <i>before</i> standardization are used. If "beta" or "standardized", then the output <i>after</i> selected variables standardized are returned. Default is "beta".
print_raw	Control whether the estimates before selected standardization are printed when type is "beta" or "standardized". If "none", the default, then it will not be printed. If set to "before_ci" and <code>ci</code> is TRUE, then will be inserted to the left of the confidence intervals. If set to "after_ci" and <code>ci</code> is TRUE, then will be printed to the right of the standardized estimates.
...	Additional arguments passed to other methods.
x	The output of <code>summary.lm_betaselect()</code> .

est_digits	The number of digits after the decimal to be displayed for the coefficient estimates, their standard errors, and confidence intervals (if present). Note that the values will be rounded to this number of digits before printing. If all digits at this position are zero for all values, the values may be displayed with fewer digits. Note that the coefficient table is printed by <code>stats::printCoefmat()</code> . If some numbers are vary large, the number of digits after the decimal may be smaller than est_digits due to a limit on the column width. This value also determines the number of digits for displayed R-squared.
signif.stars	Whether "stars" (asterisks) are printed to denote the level of significance achieved for each coefficient. Default is TRUE.
tz_digits	The number of digits after the decimal to be displayed for the <i>t</i> or similar statistic (in the column "t value" or "z value"). This value also determines the number of digits for the <i>F</i> statistic for the R-squared.
pvalue_less_than	If a <i>p</i> -value is less than this value, it will be displayed with "<(this value)". For example, if pvalue_less_than is .001, the default, <i>p</i> -values less than .001 will be displayed as <.001. This value also determines the printout of the <i>p</i> -value of the <i>F</i> statistic. (This argument does what eps.Pvalue does in <code>stats::printCoefmat()</code> .)

Details

By default, it returns a `summary.lm_betaselect`-class object for the results with selected variables standardized. By setting type to "raw" or "unstandardized", it return the summary for the results *before* standardization.

The print method of `summary.lm_betaselect`-class objects is adapted from `stdmod::print.summary.std_selected()`.

Value

It returns an object of class `summary.lm_betaselect`, which is similar to the output of `stats::summary.lm()`, with additional information on the standardization and bootstrapping, if requested.

The print-method of `summary.lm_betaselect` is called for its side effect. The object *x* is returned invisibly.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

References

Asparouhov, A., & Muthén, B. (2021). Bootstrap p-value computation. Retrieved from <https://www.statmodel.com/download/Bootstrap%20-%20Pvalue.pdf>

See Also

[lm_betaselect\(\)](#)

Examples

```
data(data_test_mod_cat)

# bootstrap should be set to 2000 or 5000 in real studies
lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                           data = data_test_mod_cat,
                           to_standardize = "iv",
                           do_boot = TRUE,
                           bootstrap = 100,
                           iseed = 1234)

summary(lm_beta_x)
summary(lm_beta_x, ci = TRUE)
summary(lm_beta_x, boot_pvalue_type = "norm")
summary(lm_beta_x, type = "raw")
```

vcov.lm_betaselect *The 'vcov' Method for 'lm_betaselect' and glm_betaselect Objects*

Description

Compute the variance-covariance matrix of estimates in the output of `lm_betaselect()` or `glm_betaselect()`.

Usage

```
## S3 method for class 'lm_betaselect'
vcov(
  object,
  method = c("boot", "bootstrap", "ls", "default"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  warn = TRUE,
  ...
)

## S3 method for class 'glm_betaselect'
vcov(
  object,
  method = c("boot", "bootstrap", "ls", "default"),
  type = c("beta", "standardized", "raw", "unstandardized"),
  warn = TRUE,
  ...
)
```

Arguments

object The output of `lm_betaselect()` or an `lm_betaselect`-class object, or the output of `glm_betaselect()` or a `glm_betaselect`-class object.

method	The method used to compute the variance-covariance matrix. If bootstrapping was requested when calling <code>lm_betaselect()</code> or <code>glm_betaselect()</code> and this argument is set to "bootstrap" or "boot", the bootstrap variance-covariance matrix is returned. If bootstrapping was not requested or if this argument is set to "ls" or "default", then the usual lm or glm variance-covariance matrix is returned, with a warning raised unless type is "raw" or "unstandardized". Default is "boot".
type	String. If "unstandardized" or "raw", the variance-covariance matrix of the coefficients <i>before</i> standardization are returned. If "beta" or "standardized", then the variance-covariance matrix of the coefficients <i>after</i> selected variables standardized are returned. Default is "beta".
warn	Logical. Whether a warning will be raised if OLS (or WLS) variance-covariance matrix is requested for the model with some variables standardized (i.e., type is "beta" or "standardized"). Default is TRUE.
...	Other arguments to be passed to <code>stats::vcov()</code> .

Details

The type of variance-covariance matrix depends on the object. If bootstrapping was requested, by default it returns the bootstrap variance-covariance matrix. Otherwise, it returns the default variance-covariance matrix and raises a warning.

Support for other type of variance-covariance matrix will be added.

Value

A matrix of the variances and covariances of the parameter estimates.

Author(s)

Shu Fai Cheung <https://orcid.org/0000-0002-9871-9448>

See Also

`lm_betaselect()` and `glm_betaselect()`

Examples

```
data(data_test_mod_cat)

# bootstrap should be set to 2000 or 5000 in real studies
lm_beta_x <- lm_betaselect(dv ~ iv*mod + cov1 + cat1,
                          data = data_test_mod_cat,
                          to_standardize = "iv",
                          do_boot = TRUE,
                          bootstrap = 100,
                          iseed = 1234)

vcov(lm_beta_x)
# A warning is expected for the following call
vcov(lm_beta_x, method = "ls")
```

```
vcov(lm_beta_x, type = "raw")

data_test_mod_cat$p <- scale(data_test_mod_cat$dv)[, 1]
data_test_mod_cat$p <- ifelse(data_test_mod_cat$p > 0,
                              yes = 1,
                              no = 0)
# bootstrap should be set to 2000 or 5000 in real studies
logistic_beta_x <- glm_betaselect(p ~ iv*mod + cov1 + cat1,
                                  data = data_test_mod_cat,
                                  family = binomial,
                                  to_standardize = "iv",
                                  do_boot = TRUE,
                                  bootstrap = 100,
                                  iseed = 1234)

vcov(logistic_beta_x)
# A warning is expected for the following call
vcov(logistic_beta_x, method = "default")
vcov(logistic_beta_x, type = "raw")
```

Index

* **datasets**
 data_test_medmod, 10
 data_test_mod_cat, 11
 data_test_mod_cat2, 12
 data_test_mod_cat_binary, 13

anova.glm_betaselect
 (anova.lm_betaselect), 2
anova.glm_betaselect(), 23
anova.lm_betaselect, 2

coef.glm_betaselect
 (coef.lm_betaselect), 5
coef.glm_betaselect(), 23
coef.lav_betaselect, 4
coef.lm_betaselect, 5
coef.lm_betaselect(), 23
confint.glm_betaselect
 (confint.lm_betaselect), 8
confint.glm_betaselect(), 23
confint.lav_betaselect, 7
confint.lm_betaselect, 8
confint.lm_betaselect(), 23
cooks.distance(), 23

data_test_medmod, 10
data_test_mod_cat, 11
data_test_mod_cat2, 12
data_test_mod_cat_binary, 13

getCall.glm_betaselect
 (getCall.lm_betaselect), 13
getCall.lm_betaselect, 13
glm(), 21
glm_betaselect(lm_betaselect), 20
glm_betaselect(), 2, 3, 5, 6, 8, 9, 14, 21–23,
 25, 26, 30, 32, 34, 37, 38

lav_betaselect, 15
lav_betaselect(), 4, 7, 28, 29
lavaan::bootstrapLavaan(), 16, 17

lavaan::cfa(), 15
lavaan::parameterEstimates(), 17, 18, 29
lavaan::sem(), 15
lm(), 21
lm_betaselect, 20
lm_betaselect(), 2, 3, 5, 6, 8–10, 14, 21–23,
 27, 28, 30, 35–38

manymome::do_boot(), 16

predict.glm_betaselect, 25
predict.glm_betaselect(), 23
predict.lm_betaselect, 27
predict.lm_betaselect(), 23
print(), 29
print.glm_betaselect(lm_betaselect), 20
print.glm_betaselect(), 24
print.lav_betaselect, 28
print.lav_betaselect(), 19
print.lm_betaselect(lm_betaselect), 20
print.lm_betaselect(), 24
print.summary.glm_betaselect
 (summary.glm_betaselect), 31
print.summary.lm_betaselect
 (summary.lm_betaselect), 34

raw_output(lm_betaselect), 20
raw_output(), 22, 23
rstandard(), 23

semhelpinghands::print.std_solution_boot(),
 29
set.seed(), 21
stats::anova(), 3
stats::anova.glm(), 3
stats::coef(), 6
stats::confint.glm, 9
stats::confint.glm(), 9, 32
stats::getCall(), 14
stats::glm(), 14, 21, 23

`stats::lm()`, [14](#), [21](#), [23](#)
`stats::predict.glm()`, [26](#)
`stats::predict.lm()`, [27](#), [28](#)
`stats::printCoefmat()`, [33](#), [36](#)
`stats::summary.glm()`, [32](#), [33](#)
`stats::summary.lm()`, [35](#), [36](#)
`stats::update()`, [23](#)
`stats::vcov()`, [38](#)
`std_data`, [30](#)
`stdmod::print.summary.std_selected()`,
 [33](#), [36](#)
`summary()`, [29](#)
`summary.glm_betaselect`, [31](#)
`summary.glm_betaselect()`, [23](#), [33](#)
`summary.lm_betaselect`, [34](#)
`summary.lm_betaselect()`, [23](#), [35](#)

`vcov.glm_betaselect`
 (`vcov.lm_betaselect`), [37](#)
`vcov.glm_betaselect()`, [23](#)
`vcov.lm_betaselect`, [37](#)
`vcov.lm_betaselect()`, [23](#)